

URETHANE BUMPER PLATES

FROM ONE STAGE
TO ANOTHER

TRUE STRENGTH 



TRUE STRENGTH
KNOWS WHAT'S ESSENTIAL

IWF CrossFit®

COREDELUXE®
UNITED BY FITNESS
CROSSFIT

FS 00 00 00 UP 00 00 UP 00 00

COREDELUXE

COREDELUXE



URETHANE BUMPER PLATES

PRODUCT OVERVIEW

Coredeluxe color-coded Urethane LB Bumpers are molded from top quality, high durometer urethane—ideal for producing a consistent dead bounce on the drop and maintaining the long-term integrity of the plate. The design of the single-piece 140mm hard chrome insert also allows for easy loading on the bar with reduced friction on the sleeves. For a combination of performance and durability, few bumpers in the industry can rival these.

Virgin Rubber

100% virgin rubber

100% virgin rubber with no smell or odd which affect human body or healthy.

Accurate Weight

+/- 3 Grams

The weight tolerance of Coredeluxe IWF competition bumper plates could be within +/- 3 Grams.

High-level customization

Customization allowed

High-level customized and being capable to use as Crossfit Game Plates.


Features

- 1. Special Inner Constructions. Dropping Test: Dropping test from 2.2 Meters High Dropping machine, Dropping times 60 Minutes: 300 Drops which equal to 60,000 Drops under regular using. Gap is between 1MM. It is not like other brand Urethane Bumper Plates which occur big gap after few times dropped.
- 2. Dead Bounce: Between from 35MM to 45MM.
- 3. Smell: 100% urethane, No smell or odd which affect human body or healthy.
- 4. Printing: Qualified Printing assure long lasting and looking.
- 5. IWF Standard, IWF Quality, IWF Standard and quality give you best Olympic feeling.
- 6. Durometer 90 Shore A: Shore Durometer is one of several measures to test the hardness of a material. Hardness may be defined as a material's resistance to permanent indentation and total failure. High durometer readings indicate a high material quality. Coredeluxe durometer is 90 A is very top lines rubber material.

PRODUCT SHOW



5KG 28MM
URETHANE



Material:	100% Urethane
Hardness:	90 Shore A
Weight tolerance:	+/- 10 Grams
Collar opening:	50.4+-0.1mm
Color:	Black
Thickness:	28mm
Diameter:	450mm
Center metal:	45# steel with chromed plate
Country of origin:	Xiamen, P.R.C

PRODUCT SHOW

10KG 39MM
URETHANE



Material:	100% Urethane
Hardness:	90 Shore A
Weight tolerance:	+/- 10 Grams
Collar opening:	50.4+-0.1mm
Color:	IWF Green
Thickness:	39mm
Diameter:	450mm
Center metal:	45# steel with chromed plate
Country of origin:	Xiamen, P.R.C

15KG 42MM
URETHANE



Material:	100% Urethane
Hardness:	90 Shore A
Weight tolerance:	+/- 10 Grams
Collar opening:	50.4+-0.1mm
Color:	IWF Yellow
Thickness:	42mm
Diameter:	450mm
Center metal:	45# steel with chromed plate
Country of origin:	Xiamen, P.R.C

20KG 55MM
URETHANE



Material:	100% Urethane
Hardness:	90 Shore A
Weight tolerance:	+/- 10 Grams
Collar opening:	50.4+-0.1mm
Color:	IWF Blue
Thickness:	55mm
Diameter:	450mm
Center metal:	45# steel with chromed plate
Country of origin:	Xiamen, P.R.C

25KG 61MM
URETHANE




Material:	100% Urethane
Hardness:	90 Shore A
Weight tolerance:	+/- 10 Grams
Collar opening:	50.4+-0.1mm
Color:	IWF Red
Thickness:	61mm
Diameter:	450mm
Center metal:	45# steel with chromed plate
Country of origin:	Xiamen, P.R.C

PRODUCT SHOW



10LB 21MM
URETHANE




15LB 28MM
URETHANE



Material: 100% Urethane	Material: 100% Urethane
Hardness: 90 Shore A	Hardness: 90 Shore A
Weight tolerance: +/- 10 Grams	Weight tolerance: +/- 10 Grams
Collar opening: 50.4+-0.1mm	Collar opening: 50.4+-0.1mm
Color: Black	Color: Black
Thickness: 21mm	Thickness: 28mm
Diameter: 450mm	Diameter: 450mm
Center metal: 45# steel with chromed plate	Center metal: 45# steel with chromed plate
Country of origin: Xiamen, P.R.C	Country of origin: Xiamen, P.R.C

PRODUCT SHOW


25LB 40MM
URETHANE



35LB 48MM
URETHANE



45LB 53MM
URETHANE



55LB 58MM
URETHANE



Material: 100% Urethane	Material: 100% Urethane	Material: 100% Urethane	Material: 100% Urethane
Hardness: 90 Shore A	Hardness: 90 Shore A	Hardness: 90 Shore A	Hardness: 90 Shore A
Weight tolerance: +/- 10 Grams	Weight tolerance: +/- 10 Grams	Weight tolerance: +/- 10 Grams	Weight tolerance: +/- 10 Grams
Collar opening: 50.4+-0.1mm	Collar opening: 50.4+-0.1mm	Collar opening: 50.4+-0.1mm	Collar opening: 50.4+-0.1mm
Color: IWF Green	Color: IWF Yellow	Color: IWF Blue	Color: IWF Red
Thickness: 40mm	Thickness: 48mm	Thickness: 53mm	Thickness: 58mm
Diameter: 450mm	Diameter: 450mm	Diameter: 450mm	Diameter: 450mm
Center metal: 45# steel with chromed plate	Center metal: 45# steel with chromed plate	Center metal: 45# steel with chromed plate	Center metal: 45# steel with chromed plate
Country of origin: Xiamen, P.R.C	Country of origin: Xiamen, P.R.C	Country of origin: Xiamen, P.R.C	Country of origin: Xiamen, P.R.C



CUSTOMIZED PRODUCTS LOGO TRIAL-RUN EFFECT

55LB Urethane Bumper Plates

LB Size	
●	25LB
●	35LB
●	45LB
●	55LB



Make your Competition plates Colorful

- Exclusive Raised Lettering Logo
- Arc or Horizontal Mode to Be Selected
- Customized Made Available